



Create a variety of coffee drinks, your way.



1-Year Warranty for Factory Defects



Free Delivery within Metro Manila

 Sakkura Industrial Equipment Trading

 @official_sakkura

 09173246776/ 09171183349

 San Pedro, Laguna

 Message us for inquiries
or
Request a quote!

**SLAYER ESPRESSO
SINGLE GROUP**



FEATURES:

- Width 18.5 in / 47 cm Depth 23 in / 58 cm Height 13 in / 33 cm
- Weight 110 lb / 50 kg
- Brew Tank 1.1 liters, 600 watts
- Steam Tank 3.3 L, 1,300 W OR 2,000 W
- Single-Phase Power 110 V spec 120 V, 50-60Hz; 12 A; 1.6 kW
- Single-Phase Power 220 V spec 220-240 V, 50/60 Hz; 9 A; 2.1 —2.4 kW

PROFITEC GO



FEATURES:

- Brass boiler - 0.3 l
- Water tank with 2.8 l volume
- Max. Power usage: 230 V/1300 W/ 115 V/900 W
- Weight 12.9 kg
- Dimension (WxDxH):
- 210 x 362 x 381 mm without portafilter
- 210 x 410 x 381 mm with filter holder

PROFITEC PRO 500



FEATURES:

- 2L stainless steel boiler
- 1400W Heating element
- Water tank with adapter and 3L volume
- Weight 23.5kg (51.7lbs.)
- Dimensions: W x 302 mm, D x 447 mm, H x 393 mm - without portafilter
- W x 302mm, D x 555 mm, H x 393 mm - with portafilter
- Voltage: 220V - 240V/115V

PROFITEC PRO 400



FEATURES:

- 1.6 l stainless steel boiler
- Stainless steel heating element
- Boiler insulation
- Vibration pump
- 2.8 l water tank with built-in adapter
- Power usage: 230V/1400 W/ 115 V/1.500 W
- Weight 21.5 kg
- Dimensions (WxDxH):
- 228 x 448 x 372 mm without portafilter
- 228 x 558 x 372 mm with portafilter

LA MARZOCCO

LA MARZOCCO LINEA MINI



FEATURES:

- Dimensions 14"W x 21"D x 15"H
- Weight (lbs) 71
- Voltage (VAC) 120
- Element wattage 1600
- Capacity (liters) 3.5 (steam boiler)

PROFITEC DRIVE



FEATURES:

- 0.75 l stainless steel coffee boiler
- 2.0 l stainless steel steam and hot water boiler
- 2.8 l water tank with built-in adapter and fixed water connector
- Large drip tray with a 1.0 l capacity
- Power usage: 230V/1600 W/ 115 V/1600 W
- Weight: 31 kg
- Dimensions (WxDxH):
- 340 x 485 x 420 mm without portafilter
- 340 x 590 x 420 mm with portafilter

**LA MARZOCCO LINEA CLASSIC
S AV 2 GROUP**



FEATURES:

- Dimensions HWD cm: 2-Groups - 45.5 x 69 x 56. 3-Groups 45.5 x 93 x 56.
- Weight KG: 2-Groups - 51kg. 3-Groups -66kg.
- Voltage: 220v Single / 3 Phase. 380v 3 Phase.
- Wattage Elements: 2-Groups - 3600. 3-Groups - 4800.
- Optional Wattage Elements: 2Groups - 4600. 3-Groups - 6100.
- Coffee Boiler Capacity L: 2-Groups - 3.4L. 3-Groups - 5L.
- Steam Boiler Capacity L: 2-Groups - 7L. 3-Groups - 11L.

LA MARZOCCO GS3 MP



FEATURES:

- Width (in): 16
- Depth (in): 21
- Weight (lbs): 76.1
- Voltage (VAC): 110V Single Phase
- Wattage Elements: 1620(100V)
- Coffee Boiler Capacity (liters): 1.5
- Steam Boiler Capacity (liters): 3.5

ROCKET APPARTAMENTO
STANDARD



- FEATURES:
- Heat exchanger boiler design
 - Boiler capacity: 1.8 liters
 - 2.5 liter water reservoir
 - Vibration Pump
 - Height adjustable feet
 - Stainless steel cup frame as standard
 - Wattage: 1200 W
 - Designed and built in Italy

ROCKET APPARTAMENTO
SERIE NERA



- FEATURES:
- Matte Black Body
 - Steel Cup Rail
 - Heat exchanger boiler design
 - Boiler capacity: 1.80 litres
 - Vibration pump
 - 2.5 litre water reservoir
 - Wattage: 1200 W

ROCKET APPARTAMENTO
TCA (STEEL)



- FEATURES:
- System with heat exchanger Boiler capacity: 1.8 litres
 - Boiler covering for energy saving
 - Vibration pump
 - Water tank capacity: 2.5 litres Tank reserve sensor
 - Wider drip tray
 - New porta filter
 - Dimensions 270W x 448D x 358H mm
 - Weight: 22 Kg
 - Installed power: 1350 W

ROCKET APPARTAMENTO
TCA (BLACK)



- FEATURES:
- Heat exchanger system
 - Boiler Capacity: 1.8 liters
 - Boiler cover for energy savings
 - Vibratory pump
 - Water tank capacity: 2.5 liters
 - Tank reservoir sensor
 - Wider drip tray
 - New designed portafilter

ROCKET MOZZAFIATO
CRONOMETRO TYPE R



- FEATURES:
- Digital shot timer
 - Heat exchanger boiler design
 - PID control for greater temperature stability
 - Boiler capacity: 1.80 litres
 - Full sized commercial rotary pump
 - 2.5 litre water reservoir or direct water connection option
 - Height adjustable feet
 - Stainless steel cup frame as standard

ROCKET R58



- FEATURES:
- Width: 17 inches with PID
 - Depth: 22.75 inches with portafilter
 - Height: 17 inches
 - Product Weight (lbs): 65
 - Volts: 110 V
 - Boiler Material: Brass/Copper
 - Boiler Volume: 1.7 L | 0.58 L
 - Water tank capacity: 85 ounces

ROCKET BICOCCA



- FEATURES:
- Coffee boiler capacity / 0.5 liters
 - Boiler capacity / 1.5 liters
 - Power Watt | 220-240V | 50/60Hz | 1600W
 - Weight 35 Kg
 - Water tank capacity / 1.8 liters

ROCKET R91



- FEATURES:
- 5 pump pressure profiles + 1 semi automatic profile
 - Permanent magnets volumetric pump for absolutely precise and silent operation
 - Boilers all AISI 316L stainless steel made
 - Brew boiler + saturated group assembly: 1.9 litre - 1200 W
 - Service boiler: 3.6 litre - 1400 W
 - Max. power consumption of machine: 1600 W

ROCKET RE DOPPIA



- FEATURES:
- Dimensions: 848W x 603D x 500H mm
 - Technology: Dual Boiler
 - Portion Control: Automatic
 - Coffee Boiler Capacity: 4 liters
 - Main Boiler Capacity: 9 liters
 - Power: 5kW

LELIT BIANCA V.3



FEATURES:

- Height: 15.75 in
- Width: 11.4 in
- Depth: 19.1 in (15.9 in without reservoir)
- Weight: 58.5 lbs
- Housing: Stainless steel
- Water Reservoir:
- Capacity: 2.5 L / 85 fl oz
- Material: BPA-free plastic
- Removable: Yes
- Boilers:
- Brew Boiler: Stainless steel, 0.8 L / 27 fl oz
- Steam Boiler: Stainless steel, 1.5 L / 50 fl oz
- Power: 1000 W (brew boiler), 1400 W (steam boiler)

LELIT MARA X



FEATURES:

- Boiler: 1.8 l with AISI316L stainless steel heat-exchanger
- Water tank: 2.5 l
- Dimensions LxDxH: 22.5x52x35.5 cm
- Weight: 18.5 kg

LELIT GIULIETTA X 2-GROUP



FEATURES:

- Copper boiler: 10 l
- Dimensions LxDxH: 58x56x46 cm
- Weight: 47 kg

ASCASO DUO PLUS



FEATURES:

- Boiler Wattage: 2068W
- Water Supply: 2.0L water tank
- Cup Warmer: Active 10W
- Included Baskets: Single, double (14g), double (18g), triple (21g), and blind
- Depth: 31.5cm (12.4")
- Height: 36.0cm (14.2")
- Width: 27.0cm (10.6")
- Weight: 15.0kg (33lbs)
- Power: 110/120V, 2068W

ASCASO BABY T PLUS



FEATURES:

- Boiler power (230V): 2310W 50-60Hz
- Coffee group power (W): 1000
- Dimension: 350x450x430mm
- Weight: 35kg
- Steam boiler capacity (L): 2,5

ASCASO BARISTA T ONE 2-GROUP



FEATURES:

- Weight: 71 kg
- Boiler Power (230 V): 3500W 50-60Hz
- Coffee Group Power (W): 1000 x 2
- Weight (kg): 71
- Steam boiler capacity (l): 8.5

ASCASO BARISTA T PLUS COMPACT 2-GROUP



FEATURES:

- Boiler power (230 V): 2000W 50-60Hz
- Coffee group power (W): 1000 x 2
- Dimension (mm): 560/475/535
- Weight (kg): 71
- Steam boiler capacity(L): 4,5 /Steam:2/Water:1



Because great
coffee starts with
a great grind.



1-Year Warranty for Factory Defects



Free Delivery within Metro Manila

 Sakkura Industrial Equipment Trading

 @official_sakkura

 09173246776/ 09171183349

 San Pedro, Laguna

 Message us for inquiries
or
Request a quote!



LELIT FRED



FEATURES:

- Bean hopper capacity 250g
- Voltage: 220-230V 50/60 Hz | Plug I
- Dimensions (WxDxH): 14 x 22 x 34 cm
- Weight: 3.045 kg



HEYCAFE HC880 LAB (TALL)



FEATURES:

- Voltage: 220-240 V // 50/60 Hz / 110 V // 60 Hz
- Burr diameter: 84 mm
- Burr type: Flat
- Burr material: Hardened steel
- Grind speed*: > 450 g/min
- Bean hopper capacity: 1.3 kg
- Power: 550 W
- Dimensions (l x w x h): 450 x 180 x 685 mm
- Net weight: 26.0 kg
- Gross weight: 28.0 kg



MAHLKONIG E65S GBW



FEATURES:

- Voltage // frequencies // phases // nominal power:
- 220-240 V // 50/60 Hz // 1~ // 440 W
- 110-127 V // 60 Hz // 1~ // 580 W
- 100 V // 50/60 Hz // 1~ // 550/700 W
- Idle speed: 1400 rpm (50 Hz); 1700 rpm (60 Hz)
- Burr diameter: 65 mm
- Burr material: Special steel
- Burr grind life (median setting): ca. 800 kg
- Average grinding capacity*:
- 50 Hz: 4-5 g/s @ 250 µm
- 60 Hz: 5-6 g/s @ 250 µm
- Bean hopper capacity: approx. 1200 g
- Dimensions (w x h x d): 19.5 x 62 x 28.3 cm
- Dimensions of packing (w x h x d): 69.7 x 28.7 x 47.5 cm
- Net weight: 12.2 kg
- Gross weight: 14 kg

MAHLKONIG EK43S



FEATURES:

- Voltage // frequencies // phases:
- 200-240 V // 50/60 Hz // 1~
- 100-120 V // 50/60 Hz // 1~
- Idle speed: 1450 rpm (50 Hz); 1760 rpm (60 Hz)
- Burr diameter: 98 mm
- Burr material: Cast steel
- Burr grind life (median setting): ca. 6.000 kg
- Average grinding capacity*: 19-21 g/s
- Average grinding capacity Turkish fine*: 10-12 g/s
- Bean hopper capacity: approx. 800 g
- Max. nominal power: 1300 W
- Dimensions (w x h x d): 23 x 68 x 41 cm
- Dimensions of packing (w x h x d): 37 x 58 x 71 cm
- Net weight: 24.5 kg
- Gross weight: 28.5 kg

MAHLKONIG EK43



FEATURES:

- Voltage // frequencies // phases:
- 200-240 V // 50/60 Hz // 1~
- 100-120 V // 50/60 Hz // 1~
- Idle speed: 1450 rpm (50 Hz); 1760 rpm (60 Hz)
- Burr diameter: 98 mm
- Burr material: Cast steel
- Burr grind life (median setting): ca. 6.000 kg
- Average grinding capacity*: 19-21 g/s
- Average grinding capacity Turkish fine*: 10-12 g/s
- Bean hopper capacity: approx. 1500 g
- Max. nominal power: 1300 W
- Dimensions (w x h x d): 23 x 82.8 x 41 cm
- Dimensions of packing (w x h x d): 37 x 58 x 71 cm
- Net weight: 26 kg
- Gross weight: 30 kg

MAHLKONIG EK OMNIA



FEATURES:

- Voltage // frequencies // phases:
- 200-240 V // 50 Hz // 1~
- 100-120 V // 60 Hz // 1~
- Idle speed: 1500 rpm (50 Hz)
- Burr diameter: 98 mm
- Burr material: Cast steel
- Burr grind life (median setting): approx. 6.000 kg
- Average grinding capacity*: 11.5-13.5 g/s
- Bean hopper capacity: approx. 250 g
- Max nominal power: 750 W
- Dimensions (w x h x d): 21.4 x 66.3 x 39 cm
- Dimensions of packing (w x h x d): 25.9 x 62.6 x 59 cm
- Net weight: 24 kg
- Gross weight: 28 kg



MALKHONIG X54



FEATURES:

- Voltage // frequencies // phases // nominal power:
- 220-240 V // 50/60 Hz // 1~ // 120 W
- 110-120 V // 60 Hz // 1~ // 120 W
- 100 V // 50/60 Hz // 1~ // 120 W
- Idle speed: 1050 rpm
- Burr diameter: 54 mm
- Burr material: Special steel
- Burr grind life (median setting): approx. 500 kg
- Average grinding capacity*: approx. 1-2,8 g/s
- Bean hopper capacity:
- 250 g w/ Black, White & Black Chrome grinders
- 500 g w/ Chrome grinder
- Dimensions (w x h x d) with 250g hopper: 19 x 37,8 x 28 cm
- Dimensions (w x h x d) with 500g hopper: 19 x 42,5 x 28 cm
- Dimensions of packing (w x h x d): 52 x 34 x 26 cm
- Net weight: 5,1 kg
- Gross weight: 8 kg



ANFIM SCODY II STEPLESS



FEATURES:

- Burr diameter: 75 mm
- Burr material: Hardened steel
- Voltage / Frequency / Phase*: 220 - 240 / 50 / 1
- Watt: 450
- RPM: 800 rpm
- Grinding capacity: 2-3 kg/day
- Grinding time for single espresso: 3.2 s
- Bean hopper capacity: 2.0 kg
- Dimensions (w x h x d): 195 x 575 x 370 mm
- Net weight: 14.1 kg
- Shipping weight: 15.6 kg

ANFIM SP II PLUS



FEATURES:

- Burr diameter: 75 SP mm
- Burr material: Titanium coated burrs
- Burr grind life (median setting): ca. 2500 kg
- Voltage / Frequency / Phase*: 220-240/50/1
- Watt: 720 W
- RPM: 650 rpm
- Grinding capacity up to: 5-6 kg/day
- Grinding time for single Espresso: 2.2 s
- Bean hopper capacity: 2.0 kg
- Dimensions (w x h x d): 220 x 620 x 370 mm
- Net weight: 16.3 kg
- Shipping weight: 18.4 kg



EUREKA ATOM SPECIALTY 75



FEATURES:

BURRS

- Type flat
- Diameter 75 mm
- Material Hardened steel

ENGINE

- Rpm 1400
- Power absorbed 900 watt
- Feeding Single phase
- Bean hopper capacity 1,4 kg
- Productivity (g/s) 4 - 5,5

DIMENSIONS

- Height 570 mm
- Width 180 mm
- Depth 227 mm
- Weight 9,5 kg

EUREKA ATOM EXCELLENCE 65



FEATURES:

BURRS

- Type Flat
- Diameter 65 mm
- Material Hardened steel

ENGINE

- Rpm 1370
- Power absorbed 280 watt
- Feeding Single phase
- Bean hopper capacity 1,2 kg
- Productivity (g/s) 2 - 3,5

DIMENSIONS

- Height 540 mm
- Width 180 mm
- Depth 240 mm
- Weight 11,5 Kg

EUREKA ATOM EXCELLENCE 75



FEATURES:

BURRS

- Type flat
- Diameter 75 mm
- Material Hardened steel

ENGINE

- Rpm 1400
- Power absorbed 430 watt
- Feeding Single phase
- Bean hopper capacity 1,2 kg
- Productivity (g/s) 3,3 - 4,8

DIMENSIONS

- Height 540 mm
- Width 180 mm
- Depth 240 mm
- Weight 12 Kg

EUREKA ATOM W 65



FEATURES:

BURRS

- Type Flat
- Diameter 65 mm
- Material Hardened steel

ENGINE

- Rpm 1370
- Power absorbed 280 watt
- Feeding Single phase
- Bean hopper capacity 1,2 kg
- Productivity (g/s) 2 - 3,5

DIMENSIONS

- Height 540 mm
- Width 180 mm
- Depth 240 mm
- Weight 11,5 Kg

EUREKA ATOM W 75



FEATURES:

BURRS

- Type flat
- Diameter 75 mm
- Material Hardened steel

ENGINE

- Rpm 1400
- Power absorbed 430 watt
- Feeding Single phase
- Bean hopper capacity 1,2 kg
- Productivity (g/s) 3,3 - 4,8

DIMENSIONS

- Height 540 mm
- Width 180 mm
- Depth 240 mm
- Weight 12 Kg

EUREKA PROMETHEUS



FEATURES:

BURRS

- Type flat
- Diameter 85 mm
- Material Pure Diamond (patented Eureka)

ENGINE

- Rpm 1350
- Power absorbed 510 watt
- Feeding Single phase
- Bean hopper capacity 1,2 kg
- Productivity (g/s) 6 - 9,5

DIMENSIONS

- Height 570 mm
- Width 230 mm
- Depth 240 mm
- Weight 23 kg



EUREKA MIGNON PERFETTO



- FEATURES:**
- BURRS**
- Type flat
 - Diameter 50 mm
 - Material Hardened steel
- ENGINE**
- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr
 - Productivity (g/s) 1,0 - 1,6 Espresso 1,7 - 2,3 Brew
- DIMENSIONS**
- Height 350 mm
 - Width 120 mm
 - Depth 140 mm
 - Weight 5,6 kg

EUREKA MIGNON SPECIALITA



- FEATURES:**
- BURRS**
- Type flat
 - Diameter 55 mm
 - Material Hardened steel
- ENGINE**
- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr (Optional: 510 gr)
 - Productivity (g/s) 1,8 - 2,5 Espresso 2,5 - 3,5 Brew
- DIMENSIONS**
- Height 350 mm
 - Width 120 mm
 - Depth 140 mm
 - Weight 5,6 kg

EUREKA MIGNON TURBO



- FEATURES:**
- BURRS**
- Type flat
 - Diameter 65 mm
 - Material Hardened steel
- ENGINE**
- Rpm 1650
 - Power absorbed 320 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr
 - Productivity (g/s) 1,8 - 2,3
- DIMENSIONS**
- Height 380 mm
 - Width 120 mm
 - Depth 140 mm
 - Weight 7,2 kg

EUREKA ORO MIGNON SINGLE DOSE



- FEATURES:**
- BURRS**
- Type flat
 - Diameter 65 mm
 - Material Pure Diamond (patented Eureka)
- ENGINE**
- Rpm 1650
 - Power absorbed 320 watt
 - Feeding Single phase
 - Bean hopper capacity 45 g
 - Productivity (g/s) 2.3 - 2.8 Espresso 2.8 - 3.3 Brew
- DIMENSIONS**
- Height 321 mm
 - Width 128 mm
 - Depth 260 mm
 - Weight 7,2 kg

EUREKA MIGNON LIBRA



- FEATURES:**
- BURRS**
- Type Flat
 - Diameter 55 mm (Brew)
 - Material Hardened steel
- ENGINE**
- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr (Optional: 510 gr)
 - Productivity (g/s) 2,5 - 3,5 Brew
- DIMENSIONS**
- Height 216 mm
 - Width 390 mm
 - Depth 124 mm
 - Weight 5,6 kg

EUREKA ORO MIGNON XL



- FEATURES:**
- BURRS**
- Type flat
 - Diameter 55 mm
 - Material Hardened steel
- ENGINE**
- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr
 - Productivity (g/s) 1,8 - 2,5 Espresso 2,5 - 3,5 Brew
- DIMENSIONS**
- Height 350 mm
 - Width 120 mm
 - Depth 140 mm
 - Weight 5,6 kg



EUREKA MIGNON MANUALE FEATURES:



BURRS

- Type flat
- Diameter 50 mm
- Material Hardened steel

ENGINE

- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 150 gr
 - Productivity (g/s) 0,9 - 1,5
- Espresso

DIMENSIONS

- Height 350 mm
- Width 120 mm
- Depth 140 mm
- Weight 5,6 kg

EUREKA MIGNON SILENZIO 55



FEATURES:

BURRS

- Type flat
- Diameter 55 mm
- Material Hardened steel

ENGINE

- Rpm 1350
 - Power absorbed 310 watt
 - Feeding Single phase
 - Bean hopper capacity 300 gr
 - Productivity (g/s) 1,8 - 2,5
- Espresso 2,5 - 3,5 Brew

DIMENSIONS

- Height 350 mm
- Width 120 mm
- Depth 140 mm
- Weight 5,6 kg

EUREKA MIGNON ZERO



FEATURES:

BURRS

- Type flat
- Diameter 55 mm
- Material Hardened steel

ENGINE

- Rpm 1650
 - Power absorbed 320 watt
 - Feeding Single phase
 - Bean hopper capacity 45 g
 - Productivity (g/s) 1,8 - 2,5
- Espresso 2,5 - 3,5 Brew

DIMENSIONS

- Height 345 mm
- Width 120 mm
- Depth 140 mm
- Weight 5,6 kg