



Precision in Heat, Perfection on the Plate.

 Sakkura Industrial Equipment Trading

 @official_sakkura

 09173246776/ 09171183349

 San Pedro, Laguna

 Message us for inquiries
or
Request a quote!



COMMERCIAL GAS RANGE LINE



4 BURNERS GAS RANGE WITH OVEN

- Burner Power:30,000 x4
- Oven Power:30,000 x1
- Oven Temperature Range:200-550'F
- With Backsplash
- With Pilot Switch
- With Over Shelf
- Dimension: 610 mm x 827 mm x 1532 mm



6 BURNER GAS RANGE WITH OVEN

- BurnerPower:30,000 x6
- OvenPower:30,000 x1
- Oven Temperature Range:200-550 'F
- With Backsplash
- With Pilot Switch
- With Over Shelf
- Dimension: 915 mm x 827 mm x 1532 mm



6 BURNER GAS RANGE WITH TWO OVENS, GRIDDLE AND SALAMANDER

- Burner Power:30,000 x4
- Oven Power:30,000 x1
- Oven Temperature Range:200-550'F
- With Backsplash
- With Pilot Switch
- With Over Shelf
- Dimension: 1520 mm x 830 mm x 1530 mm



4 BURNER ULTRA HEAVY-DUTY GAS STOVE TABLETOP

- Commercial and Industrial Use
- Heavy-duty Thick Stainless Steel Pilot Flame with Switch
- Ultra Heavy Duty Burners
- Built in Catch Tray
- 86,940BTU
- Dimension: 600 mm x 770 mm x 360 mm



COMMERCIAL GAS RANGE LINE



4 BURNER ULTRA HEAVY-DUTY GAS STOVE WITH STAND AND UNDERSHELF

- Commercial and Industrial Use
- Thick Stainless Steel
- Pilot Flame with Switch
- Ultra Heavy-Duty Burners Built-in Catch Tray
- 86,940BTU
- Dimension: 600 mm x 770 mm x 800 mm



6 BURNER ULTRA HEAVY-DUTY GAS STOVE TABLETOP

- Commercial and Industrial Use
- Thick Stainless Steel
- Pilot Flame with Switch
- Ultra Heavy Duty Burners
- 160,770BTU
- Built in Catch Tray
- Dimension: 600 mm x 770 mm x 800 mm



6 BURNER ULTRA HEAVY-DUTY GAS STOVE WITH STAND AND UNDERSHELF

- Commercial and Industrial Use
- Thick Stainless Steel
- Pilot Flame with Switch
- Ultra Heavy Duty Burners
- 160,770BTU
- Built in Catch Tray
- Dimension: 900 mm x 770 mm x 800 mm



DOUBLE BURNER HIGH PRESSURE GAS STOVE

- Automatic Ignition
- Tap and Basin
- Splashboard
- Trench Drain
- Dimension: 1500 mm x 750 mm x 800 mm



COMMERCIAL GAS RANGE LINE



DOUBLE BURNER HIGH PRESSURE GAS STOVE

- Automatic Ignition
- Tap and Basin
- Splashboard
- Trench Drain
- Dimension: 1800 mm × 950 mm × 800 mm + 350mm(Backflash)



DOUBLE BURNER HIGH PRESSURE GAS STOVE WITH FAN

- Automatic Ignition
- With Blower/Fan
- Tap and Basin
- Splashboard
- Trench Drain
- Dimension: 1400 mm × 750 mm × (810 mm+ 280mm)



6 BURNER GAS SALAMANDER

- Stainless Steel
- For Commercial and Industrial Use
- Automatic Ignition
- Adjustable Position
- 6 Burner
- Catch Tray
- Dimension: 860 mm × 530 mm × 620 mm



STOCK POT SINGLE BURNER

- Heavy-duty
- For Commercial and Industrial Use
- With Pilot Flame
- Dimension: 700 mm × 700 mm × 450 mm



COMMERCIAL BULK COOKING LINE



COMMERCIAL TILTING PAN/ BRATT PAN

- Extra Heavy Duty LPG Operated
- For Commercial and Industrial Use
- Ideal for Frying, Braising, Boiling, Steaming and Simmering
- Precise Temperature Control
- Convenient Tilting Mechanism
- 80L Capacity
- 89,700 BTU
- Dimension: 800 mm × 900 mm × 970 mm



COMMERCIAL BOILING PAN/BOILING KETTLE/JACKETED KETTLE

- Extra Heavy Duty
- LPG Operated
- For Commercial and Industrial Use
- Precise Temperature Control
- Convenient Tilting Mechanism
- Steam Jacketed Walls
- Uniform Heat Distribution
- 150L Capacity
- 89,700 BTU
- Dimension: 1400 mm × 750 mm × (810 mm + 280 mm)



COMMERCIAL 200L COOKING MIXER

- Extra Heavy Duty LPG Operated
- For Commercial and Industrial Use
- Uniform Heat Distribution
- Convenient Tilting Mechanism
- Cooking Pot: Food Grade Stainless Steel 304
- Digital Display
- System Adjustable
- Speed Power: 2.2 KW
- Dimension: 1800 mm × 1300 mm × 1700 mm



COMMERCIAL GAS GRIDDLE LINE



COMMERCIAL 2 BURNER GAS GRIDDLE

- Extra Heavy Duty
- For Commercial and Industrial Use
- 2 Burner Griddle
- 60,720BTU
- With Oil Catch Tray
- Pilot Flame with Switch
- Dimension: 610 mm × 770 mm × 420 mm



COMMERCIAL 2 BURNER GAS GRIDDLE WITH STAINLESS STEEL STAND AND UNDERSHELF

- Extra Heavy-Duty
- For Commercial and Industrial Use
- 2 Burner Griddle
- 60,720BTU
- With Oil Catch Tray
- Pilot Flame with Switch
- Dimension: 610 mm × 770 mm × 420 mm (800 mm)



COMMERCIAL 3 BURNER GAS GRIDDLE

- Extra Heavy-Duty
- For Commercial and Industrial Use
- 3 Burner Griddle
- 91,080 BTU
- With Oil Catch Tray
- Pilot Flame with Switch
- Dimension: 915 mm × 770 mm × 420 mm



COMMERCIAL 3 BURNER GAS GRIDDLE WITH STAINLESSSTEEL STAND AND UNDERSHELF

- Extra Heavy-Duty
- For Commercial and Industrial Use
- 3 Burner Griddle
- 91,080BTU with Switch
- Dimension: 915 mm × 770 mm × 420 mm (800 mm)



COMMERCIAL NOODLE BOILER LINE



4 HOLES GAS NOODLE BOILER

- Heavy-duty
- For Commercial and Industrial Use
- Stainless Steel
- 2 Burners
- 2 Tanks
- 2 Drain Valves
- LPG Operated
- Provision for Faucet
- 4 Noodle Baskets Included
- Ignition Switch Exhaust Vent
- Dimension: 440 mm × 480 mm × 450 mm



4 HOLES GAS NOODLE BOILER WITH STAINLESS STEEL STAND

- Heavy-duty
- For Commercial and Industrial Use
- Stainless Steel
- 2 Burners
- 2 Tanks
- 2 Drain Valves
- LPG Operated
- Provision for Faucet
- 4 Noodle Baskets Included
- Ignition Switch
- Exhaust Vent
- Dimension: 440 mm × 480 mm × 450 mm (850 mm)



6 HOLES GAS NOODLE BOILER

- Heavy-duty
- For Commercial and Industrial Use
- Stainless Steel
- 2 Burners
- 1 Tank
- 1 Drain Valve
- LPG Operated
- Provision for Faucet
- 6 Noodle Baskets Included
- Pilot Switch
- Exhaust Vent
- Dimension: 700 mm × 640 mm × 345 mm



6 HOLES GAS NOODLE BOILER WITH STAINLESS STEEL STAND

- For Commercial and Industrial Use
- Stainless Steel
- 2 Burners
- 1 Tank
- 1 Drain Valve
- LPG Operated
- Provision for Faucet
- 6 Noodle Baskets Included
- Pilot Switch Exhaust Vent
- Dimension: 700 mm × 640 mm × 345 mm (850mm)



COMMERCIAL DEEP FRYER LINE



COMMERCIAL SINGLE TUB DEEP FRYER TABLETOP

- Stainless Steel
- Fully LPG Operated
- Industrial Deep Fryer
- 20,700BTU
- 16L Capacity
- Thermostat Controlled Temperature
- Oil Drain Valve
- Cold Zone
- Automatic Ignition
- Ignition Switch
- Exhaust Vent
- Dimension: 310 mm × 660 mm × 550 mm



COMMERCIAL SINGLE TUB DEEP FRYER TABLETOP

- Stainless Steel
- Fully LPG Operated
- Industrial Deep Fryer
- 34,500BTU
- 30L Capacity
- Thermostat Controlled Temperature
- Oil Drain Valve
- Cold Zone
- Automatic Ignition
- Ignition Switch
- Exhaust Vent
- Dimension: 440 mm × 480 mm × 450 mm (850 mm)



COMMERCIAL SINGLE TUB DEEP FRYER WITH STAND

- Stainless Steel
- Fully LPG Operated
- Industrial Deep Fryer
- 34,500BTU
- 30L Capacity
- Thermostat Controlled Temperature
- Oil Drain Valve
- Cold Zone
- Automatic Ignition
- Ignition Switch
- Exhaust Vent
- Dimension: 550 mm × 660 mm × 550 mm (950mm total height to the surface of the fryer)



COMMERCIAL DOUBLE TUB DEEP FRYER TABLETOP

- Stainless Steel
- Fully LPG Operated
- Industrial Deep Fryer
- 41,400BTU
- 32L Total Capacity (16L per tub)
- Thermostat Controlled Temperature
- Oil Drain Valve
- Cold Zone
- Automatic Ignition
- Ignition Switch
- Exhaust Vent
- Dimension: 620 mm × 660 mm × 550 mm



COMMERCIAL DEEP FRYER LINE

COMMERCIAL DEEP FRYER WITH STAND



- Stainless Steel
- Fully LPG Operated
- Industrial Deep Fryer
- 41,400BTU
- 32L Total Capacity (16L per tub)
- Thermostat Controlled Temperature
- Oil Drain Valve
- Automatic Ignition
- Cold Zone
- Ignition Switch
- Exhaust Vent
- Dimension: 620 mm × 660 mm × 550 mm
(900mm total height to the surface of the fryer)

3 BURNER DEEP FRYER STANDING TYPE



- Stainless Steel
- Fully LPG Operated
- Commercial and Industrial Deep Fryer
- 3 Burner
- 28L Capacity
- Automatic Temperature Control
- SS439 Peened Pressure Blasted Fry
- Tank (Most Durable and More Resistance to Heat)
- Robert Shaw Brand Gas Valve (Highest Brand)
- 93,150 BTU
- Oil Drain Valve
- Cold Zone
- Exhaust Vent
- Dimension: 380 mm × 780 mm × 1130 mm

4 BURNER DEEP FRYER STANDING TYPE



- Stainless Steel
- Fully LPG Operated
- Commercial and Industrial Deep Fryer
- 4 Burners
- 35L Capacity
- Automatic Temperature Control
- SS439 Peened Pressure Blasted Fry
- Tank (Most Durable and More Resistance to Heat)
- Robert Shaw Brand Gas Valve (Highest Brand)
- 124,200 BTU
- Oil Drain Valve
- Cold Zone
- Exhaust Vent
- Dimension: 400 mm × 780 mm × 1130 mm



COMMERCIAL DEEP FRYER LINE



4 BURNER DEEP FRYER STANDING TYPE DOUBLE TUB

- Stainless Steel
- Fully LPG Operated
- Commercial and Industrial Deep Fryer
- 4 Burners
- 37L Capacity(18.5Lpertub)
- Individual Thermostat
- Individual Gas Valve
- Automatic Temperature Control
- SS439 Peened Pressure Blasted Fry
- Tank (Most Durable and More Resistance to Heat)
- Robert Shaw Brand Gas Valve (Highest Brand)
- 120,000BTU
- Oil Drain Valve
- Cold Zone
- Exhaust Vent
- Dimension: 530 mm × 770 mm × 1160 mm



5 BURNER DEEP FRYER STANDING TYPE

- Stainless Steel
- Fully LPG Operated
- Commercial and Industrial Deep Fryer
- 5 Burners
- 37L Capacity
- Automatic Temperature Control
- SS439 Peened Pressure Blasted Fry
- Tank (Most Durable and More Resistance to Heat)
- Robert Shaw Brand Gas Valve (Highest Brand)
- 155,250 BTU
- Oil Drain Valve
- Cold Zone
- Exhaust Vent
- Dimension: 530 mm × 760 mm × 1130 mm

COMMERCIAL STEAMER LINE



6 TRAY GAS RICE STEAMER COOKER

- For Commercial and Industrial Use
- Stainless Steel
- LPG Operated
- Full Stainless-Steel Trays
- (Perforated Tray or Plain Tray)
- Capacity: 5kg of uncooked rice per tray
- Automatic Water Refill Automatic Ignition
- Dimension: 670 mm × 700 mm × 1200 mm



8 TRAY GAS RICE STEAMER COOKER

- For Commercial and Industrial Use
- Stainless Steel
- LPG Operated
- Full Stainless-Steel Trays (Perforated Tray or Plain Tray)
- Capacity: 5kg of uncooked rice per tray
- Automatic Water Refill
- Automatic Ignition
- Dimension: 670mm x 700mm x 1350mm



10 TRAY GAS RICE STEAMER COOKER

- For Commercial and Industrial Use
- Stainless Steel
- LPG Operated
- Full Stainless-Steel Trays (Perforated Tray or Plain Tray)
- Capacity: 5kg of uncooked rice per tray
- Automatic Water Refill
- Automatic Ignition
- Dimension: 690mm x 700mm x 1500mm



12 TRAY GAS RICE STEAMER COOKER

- For Commercial and Industrial Use
- Stainless Steel
- LPG Operated
- Full Stainless-Steel Trays (Perforated Tray or Plain Tray)
- Capacity: 5kg of uncooked rice per tray
- Automatic Water Refill
- Automatic Ignition
- Dimension: 690mm x 700mm x 1630mm



COMMERCIAL GRILLER LINE

2 BURNER LAVA ROCK GRILLER



- Commercial and Industrial Use
- Heavy Duty
- 2 Burner(U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 41,400 BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 610mm x 770mm x 370mm

2 BURNER LAVA ROCK GRILLER WITH STAINLESS STEEL STAND AND UNDERSHELF



- Commercial and Industrial Use
- Heavy Duty
- 2 Burner(U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 41,400 BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 610mm x 770mm x 370mm (800mm)

3 BURNER LAVA ROCK GRILLER



- Commercial and Industrial Use
- Heavy Duty
- 3 Burner (U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 62,100BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 910mm x 770mm x 370mm

3 BURNER LAVA ROCK GRILLER WITH STAINLESS STEEL STAND AND UNDERSHELF



- Commercial and Industrial Use
- Heavy Duty
- 3 Burner(U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 62,100 BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 910mm x 770mm x 370mm (800mm)



COMMERCIAL GRILLER LINE

4 BURNER LAVA ROCK GRILLER



- Commercial and Industrial Use
- Heavy Duty
- 4Burner(U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 202,170 BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 1220mm x 770mm x 370mm

4 BURNER LAVA ROCK GRILLER WITH STAINLESS STEEL STAND AND UNDERSHELF



- Commercial and Industrial Use
- Heavy Duty
- 4Burner(U-Type)
- Stainless Steel Burners
- Burner Covers for Easy Cleaning
- 202,170 BTU
- LPG Operated
- Pilot Ignition
- Includes Lava Rock
- Heavy Duty Cast
- Iron Burners and Grates
- With Catch Tray
- Dimension: 1220mm x 770mm x 370mm (800mm)